

L Number	Hits	Search Text	DB	Time stamp
-	1037	(adjustable programmable) near5 delay near5 clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 13:59
-	14	((adjustable programmable) near5 delay near5 clock) same (align\$3 near5 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 13:40
-	284	((adjustable programmable) near5 delay near5 clock) near5 (output or data or memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 12:39
-	36	((adjustable programmable) near5 delay near5 clock) near5 (enabl\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 12:29
-	200	((adjustable programmable) near5 delay near5 clock) near5 (output)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 12:41
-	2	((adjustable programmable) near5 delay near5 clock) near5 (output near5 respective\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 12:43
-	11	((adjustable programmable) near5 delay near5 clock) same (output near5 respective\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 12:49
-	1	((adjustable programmable) near5 delay near5 clock) same ((reduc\$3 or improv\$3) near5 skew near5 output)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 12:44
-	43	((adjustable programmable) near5 delay near5 clock) same (synchroniz\$5 near5 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 13:23
-	5019	path near5 length near5 difference\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 13:25
-	1	((adjustable programmable) near5 delay near5 clock) same (path near5 length near5 difference\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 13:27
-	2	5086500.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 13:27
-	58	5086500.URPN.	USPAT	2003/03/03 13:27

-	1	((adjustable programmable) near5 delay near5 clock) near10 (individual\$3 near5 line\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 13:38
-	2	((adjustable programmable) near5 delay near5 clock) same (align\$3 near5 output\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 13:41
-	346	(adjustable programmable) near5 hold\$3 near5 tim\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 13:45
-	228	(adjustable programmable) near5 (hold\$3 near3 tim\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 13:46
-	0	((adjustable programmable) near5 (hold\$3 near3 tim\$3)) with (output near4 buffer\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 13:47
-	2	((adjustable programmable) near5 (hold\$3 near3 tim\$3)) same (output near4 buffer\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 13:50
-	8	((adjustable programmable) near5 (hold\$3 near3 tim\$3)) same (buffer\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 13:47
-	2132	(adjust\$3 programmable) near5 delay near5 clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 13:49
-	2303	(adjust\$3 programmable program\$3) near5 delay near5 clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 13:50
-	95	((adjust\$3 programmable program\$3) near5 delay near5 clock) same (output near4 buffer\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 13:51
-	51	((adjust\$3 programmable program\$3) near5 delay near5 clock) with (output near4 buffer\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 13:57
-	434	multiple near5 output near5 delay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 13:58
-	1958	plurality near5 output near5 delay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 13:59

-	8	individually near5 adjust\$5 near5 clock near5 delay\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 14:01
-	94	(adjustable programmable) with ((multiple near5 output near5 delay) or (plurality near5 output near5 delay))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 14:03
-	30	independent\$3 near5 (adjust\$5 or program\$4 or programmable) near5 clock near5 delay\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 14:23
-	58	5086500.URPN.	USPAT	2003/03/03 14:21
-	18	(fine near3 tun\$3) near4 output near4 signals	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 14:27
-	4	clock near5 path near5 length near5 (differences)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 15:25
-	206	clock near5 path near5 length	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 14:31
-	239	clock near5 path near5 length\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 14:32
-	18	(clock near5 path near5 length\$1) same ((adjust\$3 or adjustable or program\$4 or programmable) near5 ((hold near2 time) or delay))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 14:34
-	3	("5673005" "5986830" "6247138").PN.	USPAT	2003/03/03 15:07
-	11	(individually near5 (adjust\$3 or adjustable or program or programming or programmable) near5 delay) near15 clock\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 15:34
-	115	individually near5 (adjust\$3 or adjustable or program or programming or programmable) near5 delay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 15:33
-	0	(individually near5 (adjust\$3 or adjustable or program or programming or programmable) near5 hold) near15 clock\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 15:39
-	690	distribut\$3 near5 delay\$3 near5 clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 15:45

-	31	individually near5 (adjust\$3 or adjustable or program or programming or programmable) near5 hold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 15:40
-	80	distribut\$3 near5 (program\$5 or adjust\$5) near5 delay\$3 near5 clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 16:31
-	1	5842001.URPN.	USPAT;	2003/03/03 16:04
-	12	((program\$5 or adjust\$5) near5 delay\$3 near5 clock) near10 (enabl\$3 near4 output\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 07:08
-	12	((program\$5 or adjust\$5) near5 (hold or delay\$3) near5 clock) near10 (enabl\$3 near4 output\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 07:10
-	3517	(program\$5 or adjust\$5) near5 delay\$3 near5 line	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 07:10
-	618	((program\$5 or adjust\$5) near5 delay\$3 near5 line) with clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 07:11
-	12	((program\$5 or adjust\$5) near5 (hold or delay\$3) near5 clock\$3) near10 (enabl\$3 near4 output\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 07:32
-	449	((program\$5 or adjust\$5) near5 delay\$3 near5 line) near5 clock\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 07:13
-	534	((program\$5 or adjust\$5) near5 delay\$3 near5 line) near10 clock\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 07:13
-	37	((((program\$5 or adjust\$5) near5 delay\$3 near5 line) near10 clock\$3) same buffer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 07:24
-	707	programmable near5 (set or setup or hold) near5 time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 07:17
-	14	(programmable near5 (set or setup or hold) near5 time) same buffer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 07:19

-	140	(de-s or deskew) near5 clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 07:19
-	173	(de-skew or deskew) near5 clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 07:20
-	313	(de-skew\$3 or deskew\$3) near5 clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 07:20
-	12	((de-skew\$3 or deskew\$3) near5 clock) near10 programmable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 07:20
-	1778	(equal or equaliz\$3) near5 clock\$3 near4 delay\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 07:25
-	38	((equal or equaliz\$3) near5 clock\$3 near4 delay\$1) near10 (program\$4 or programmabl\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 07:27
-	968	(program\$5 or adjust\$5) near5 (strob\$3 or enabl\$3) near5 delay\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 07:35
-	712	((program\$5 or adjust\$5) near3 delay) near5 (strob\$3 or enabl\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 07:37
-	125	((((program\$5 or adjust\$5) near3 delay) near5 (strob\$3 or enabl\$3)) with (buffer or output)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 07:46
-	107	((((program\$5 or adjust\$5) near3 delay) near5 (strob\$3 or enabl\$3)) near10 (buffer or output)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 07:37
-	58	programmabl\$1 near5 skew near5 clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 08:17
-	58	programmabl\$1 near5 skew near5 clock\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 07:47
-	9	("4564943" "4882738" "5231598" "5291141" "5396183" "5455931" "5740067" "5852640" "6327274").PN.	USPAT	2003/03/04 08:22

-	902	powered near10 (un-powered or unpowered)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 08:17
-	9	(powered near10 (un-powered or unpowered)) near8 cycl\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 08:18
-	7	clock near5 tun\$3 near5 programmabl\$1	USPAT	2003/03/04 08:24
-	1	(skew\$3 near5 cancel\$4) near10 (programmabl\$1 or adjustabl\$1)	USPAT	2003/03/04 08:25
-	97	skew\$3 near5 cancel\$4	USPAT	2003/03/04 08:29
-	625	clock\$3 near5 phase near5 (alignment or align\$3)	USPAT	2003/03/04 08:30
-	4	(clock\$3 near5 phase near5 (alignment or align\$3)) near8 programmabl\$1	USPAT	2003/03/04 08:32
-	3	("5669020" "5847617" "5358660").pn.	USPAT	2003/03/04 08:33
-	3	("5699020" "5847617" "5258660").pn.	USPAT	2003/03/04 08:33
-	128	synchroniz\$3 near5 (output near3 buffer\$1) near5 clock\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 09:17
-	7	align\$4 near5 (output near3 buffer\$1) near5 clock\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 09:15
-	35	(synchroniz\$3 near5 (output near3 buffer\$1) near5 clock\$1) same delay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 09:27
-	1021	align\$4 near5 data near5 output	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 09:30
-	88	(align\$4 near5 data near5 output) near10 memor\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 09:31
-	157	(align\$4 near5 data near5 output) near10 clock\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 09:32
-	15	((align\$4 near5 data near5 output) near10 clock\$3) same memor\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 09:34
-	220	regardless near5 (path near3 length)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 09:39
-	0	(regardless near5 (path near3 length)) near10 align\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 09:36

-	5	(regardless near5 (path near3 length)) same align\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 09:36
-	9	(regardless near5 (path near3 length)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 09:38
-	1270	compensat\$3 near5 (path near3 length)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 09:40
-	22	(compensat\$3 near5 (path near3 length)) same timing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 09:54
-	4	("5822255" "5870325").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 10:03
-	13	5822255.URPN.	USPAT	2003/03/04 09:55
-	146	programmabl\$1 near5 hold\$3 near5 tim\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 10:08
-	16	(programmabl\$1 near5 hold\$3 near5 tim\$3) near8 output\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 10:11
-	34	(programmabl\$1 near5 hold\$3 near5 tim\$3) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 10:11
-	3	5852640.URPN.	USPAT	2003/03/04 10:11
-	75	compensation near5 clock near5 skew	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 10:16
-	258	compensat\$3 near5 clock near5 skew	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 10:17
-	9	(compensat\$3 near5 clock near5 skew) near10 programmable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 10:17
-	57	programmable near5 clock near5 skew	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 10:40

-	2	4998262.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 10:42
-	2	5258660.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 11:46
-	2	5298866.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 10:43
-	2	4165490.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 12:38
-	5938	output near5 timing near5 clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 12:39
-	6334	output near5 timing near5 clock\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 12:40
-	2339	output near5 hold near5 time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 12:41
-	5	(output near5 timing near5 clock) near5 (hold near5 time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 12:41
-	5	(output near5 timing near5 clock\$3) near5 (hold near5 time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 12:42